

1.

慢

慢慢 慢

2.

慢

3.

4.

慢

5.

1.1 摄像机的使用


1

16*9.5

慢

16 17

4.5



- 1 DSR190P
- SONY DVCAM 190 DV 720*576 4 3
- DV 5 1 25M
- 2 DSR250P
- SONY DVCAM
- DSR190P
- 3 JVC GY-DV5001

JVC GY-DV5001 DV

	CCD
	47
	3
	1/2
	800
	14
	F1.4

4 AG-HPX173MC

P2HD P2

1.9kg

慢 3CCD 1/3

LEICA DICOMAR

/ 13

F1.6 - 3.0

() 50i/50p 1/50.0 ~ 1/248.9

25p/25pN 1/25.0 ~ 1/248.9

3 lux F1.6 +12dB 1/24

DV CPRO HD 1080/50i • 1080/25p • over 50i 720/50p 720/25p

over 50p 720/25pN native

SDI BNC x 1 0.8Vp-p 75Ω

HD SMPTE292M/296M/299M

SD SMPTE259M-C/272M-A/ITU-R.BT656-4

P2

5 AG-HPX203MC

P2

P2 DV 慢

慢 DV DVCPRO DVCPRO 50 DVCPRO HD

Leica Dicomar 13

1/3

16 9

3CCD

••

1.

•

•

1

•

•

•

•

•

•

•

•

•

•

•

慢

慢

2

•

•

•

•

慢

•

•

••

•

POWER

慢

ON

HUMID

•

••

•

•

•

•

•

慢

•

•

•

慢

0dB

L

•

•

•

•

•

•

慢

STBY

•

••

F-RUN/R-RUN

慢

R-RUN

慢

CTL

CH1/CH2

慢

•

•

•

•

•

•

•

•

•

AUDIO SELECT CH1/CH2

慢

AUTO

MAN

•

LEVEL

•

•

MONITOR

•


•

•

•

•

•




1.2 摄像机的常规保养

•

•

1.



2.

UV

UV

)

UV

(

UV

慢

在

UV

3.

?? ? !

)

(

)

(

)

.

.

拖

50

(

50

)

DV

DV

DV

“Play”

“Record”

5 10

DV

1cm

LCD

LCD

LCD



DV



DV



DV



DV



DV



在



1.



(5 7)

2.



在



3.




慢



慢

慢



在

慢



4.



慢

5.

在

1.3 摄像机常见故障与排除

1.

(1)

(2)

2.CCD

CCD

慢

慢

3200

•5600

CCD

5

5600 +1/16ND

(1)

(2)

3.

(1)

(2)

(3)

(4)

1

(5)

4.

1.

在

AC

在

慢

2.


慢

慢

AC

在

3.



4.

慢

5.

6.

AC

在

AC

1.4 三脚架的日常使用与维护


JVC GY-DV500i/ DSR250P

1.




2.

慢



3.



1.

慢

2.

3.

慢

4.

5.

慢


1.5 摄像轨道车轨道与摇臂的使用


1

(1)

慢

(2)





3.

